



Asian Granito India Ltd.

Regd. & Corp. Office
202, Dev Arc, Opp. Iskcon Temple, S.G. Highway,
Ahmedabad - 380 015, Gujarat, INDIA.

Phone: +91 79 66125500/698 | Fax: +91 79 66125600/66058672
CIN: L17110GJ1995PLC027025

E-mail: info@aglasiangranito.com | Web: www.aglasiangranito.com



1800 123 3455
Toll-free: Mon-Sat 10am-6pm



Scan code to
Download
AGL Tiles App



Scan code to
Download
Catalogue



Scan to Find
Exclusive
Store



Scan code for
360° Tour

MAY 2024



Premium
ka Pappa



Transform Ordinary into
EXTRA *Ordinary*

GRESTEK
Digital Glazed Vitrified Tiles



V3 & V8

GLAZED VITRIFIED TILES

600x1200mm | 200x1200mm | 600x600mm | 300x600mm

ABOUT US

At AGL, we have been leading the change by continuous innovation, setting higher goals, achieving the unthinkable and creating new benchmarks. This has enabled us to clock net consolidated turnover of ₹1562 Crores (US \$190 Million) in FY22-23, making us giant in the space décor industry. In the short span of 23 years, we are one of India's largest groups, with a global footprint across 100 countries. Today,

AGL has enhance its product range from Tile to Marble, Quartz and now in Bathware as well.

The research and development center at every AGL plant is well equipped with all the latest testing methods and the products are thoroughly tested for quality before delivery. It is ensured that every product matches the highest international quality standards.



ADVANCE TECHNOLOGIES & KEY PROCESS



14 ULTRA-MODERN MANUFACTURING UNITS IN INDIA*

* Including JVs and CMUs
** Includes contract labour



From ceramic tiles to latest Glazed Vitrified Tiles; Roto Drum to New Digital Technology, AGL dominates the most diverse array of designs across the entire Tile, Marble & Quartz product range. Modernization plays a pivotal role for the company, which becomes evident from our 09 ultra modern plants across Gujarat. Spread over an area of 3,20,000 sqm these plants unflinching produce unbeatable classy products every day. Therefore, we are proud to acquire the certifications from ISO and Green Building.

Asian Granito India Limited has debunked the myth that leadership in design is a forte only of foreign players by achieving the position through an ideal mix of creativity and technology. It has been the champion in introducing innovative digital printing technology with a technical collaboration with SACMI, Italy. A world-class Quality Management System has enabled us to build a portfolio that is truly avant-garde.

A : Latest Press with ultra modern feeder
B : Digital Printing Technology -14 Unit
C : World's Widest Kiln First in India
D : Auto check of planarity & rectangularity of tiles
E : Continua + latest press system from Sacmi, Italy

54.5 Million sqm Production Capacity per Annum*	Consolidated Net turnover ₹1562 cr. (US \$190 million)	1400+ Designs	30+ Different sizes	12 Display centres
6000+ Employees Includes contract labour	14 Manufacturing Units**	Exports in 100+ Countries	Trade network in 35 States & UTs of India	235+ Showrooms
11+ Digital Printing Technology	First to bring world's largest 5 line Kiln setup in India.	1.4 Million+ Facebook followers	1400+ Touch point	

GLOBAL PRESENCE IN OVER 100+ COUNTRIES

YOUNGEST & FASTEST GROWING TILE COMPANY IN INDIA

LARGEST SINGLE LOCATION PLANT IN INDIA

ONE OF TOP 4 LISTED CERAMIC TILES COMPANIES IN INDIA

GLOBAL PRESENCE



GLOBAL FOOTPRINT 100 COUNTRIES

Asian Granito India Ltd. (AGL) exports spread across an ever growing network of more than 100 countries.



IRIDIUM



IRIDIUM MELBOURNE WHITE



IRIDIUM CAIRNS SATUARIO



IRIDIUM BRISTANA BEIGE



IRIDIUM PORT IVORY



IRIDIUM DUBBO BEIGE



IRIDIUM SIRES BEIGE



FLOOR : IRIDIUM CAIRNS SATUARIO



IRIDIUM



IRIDIUM LAUREL GRIS



IRIDIUM CANBERRA GREY



IRIDIUM PERTH BEIGE



IRIDIUM DARWIN GRIS



IRIDIUM ADELAIDE GRIS



IRIDIUM MACKAY NOIR



IRIDIUM UTICA GREY



FLOOR : IRIDIUM DARWIN GRIS



VELVET



VELVET VEGAS SATUARIO



VELVET AUSTIC BRONZE




VELVET RIMINI TAUPE



VELVET ELICE BINACO



VELVET VENUS SLATE



VELVET STING GREY



WALL & FLOOR : VELVET AUSTIC BRONZE



VELVET



VELVET STING BEIGE



VELVET AZZATE BEIGE



VELVET SPIDER CREMA



VELVET ORTE BEIGE



VELVET MARTA CREMA



FLOOR : OPULENCE SPIDER CREMA



CARVING



OPULENCE NATURAL MARBELLO



OPULENCE BELLA CALCATTA



OPULENCE LOTUS WHITE



OPULENCE SANARICA SUPERIMO



OPULENCE IMPERIA GOLD



OPULENCE NEELROCK AQUA



OPULENCE BISCOTTI BLISS



OPULENCE GROWAVE CREMA



OPULENCE CRYSTA BOTTOCINO



OPULENCE JASPER BEIGE



CARVING



OPULENCE CELICO BIANCO



OPULENCE RIBERA BEIGE



OPULENCE SPARK BROWN



FLOOR : OPULENCE SPARK BROWN



CARVING



OPULENCE IROSTONE BEIGE



OPULENCE IROSTONE SILVER



OPULENCE CARDITO IVORY



OPULENCE CARDITO GREY



OPULENCE GOLDUNE CREMA



OPULENCE GOLDUNE BIANCO



OPULENCE FOSILEN CREMA



OPULENCE FOSILEN BEIGE



OPULENCE ALEX GRIS



OPULENCE ALEX GRIGIO



WALL & FLOOR : OPULENCE HIGHSTONE GRIS



CARVING



OPULENCE HIGHSTONE GRIS



OPULENCE HIGHSTONE GRIGIO



OPULENCE MARINE LIGHT



OPULENCE MARINE DARK



CARVING



OPULENCE PRAZZO CREMA



OPULENCE PRAZZO BEIGE



OPULENCE PRAZZO BIANCO



OPULENCE PRAZZO GREY



OPULENCE SONICE CREMA



OPULENCE SONICE BROWN




OPULENCE SONICE GRIS



OPULENCE SONICE NERO



OPULENCE MINITERRO BIANCO



OPULENCE MINITERRO GRIGIO



CARVING



OPULENCE MODERN WOOD PINE



OPULENCE MODERN WOOD COPPER



OPULENCE OAKCITY BROWN



OPULENCE OAKCITY GREY



OPULENCE ARGENTA TRAVERTINO



OPULENCE WOODEK GREY



FLOOR : OPULENCE ARGENTA TRAVERTINO



CARVING



OPULENCE ISLA BIANCO BASE



CARVING
MULTI COLOUR



OPULENCE ISLA DECOR 1



CARVING



OPULENCE ACEMAT BIANCO



CARVING
MULTI COLOUR



OPULENCE ACEMAT BIANCO DECOR



WALL & FLOOR : OPULENCE ISLA DECOR 1



MATT



BINNY BIANCO



CARVING
MULTI COLOUR



OPULENCE BINNY DECOR 1



CARVING
MULTI COLOUR



OPULENCE BINNY DECOR 3



CARVING
MULTI COLOUR




OPULENCE ISLA DECOR 4



MATT




BINNY BEIGE



CARVING
MULTI COLOUR



OPULENCE BINNY DECOR 2



MATT



LAVANTE GRIS



CARVING
MULTI COLOUR



OPULENCE LAVANTE DECOR 1



CARVING
MULTI COLOUR



OPULENCE LAVANTE DECOR 2



CARVING
MULTI COLOUR



OPULENCE ISLA DECOR 2



OPULENCE MARMIFLORA CREMA




OPULENCE DECOR MARMIFLORA CREMA



OPULENCE LEVANTO GOLD



OPULENCE LAVANTE DECOR 3



LILY BIANCO



OPULENCE LILY DECOR



WALL : OPULENCE LILY DECOR



GLITZ QRIGIN ONYX AQUA



GLITZ MONTBLANC BLUE



GLITZ LAKESIDE GREY



GLITZ ORMANICA GREY



GLITZ IRIS GRIS



FLOOR : GLITZ QRIGIN ONYX AQUA



GLITZ AMERSTON CHIPS



GLITZ CARAMEL ONYX BM



WALL : GLITZ AMERSTON CHIPS



GLITZ CREAMA ONYXA




GLITZ VIOLA BROWN



GLITZ ARMANIA BROWNY




GLITZ BIABO BRONZE



GLITZ CAPPUCHINO




GLITZ SEVILLE BLUE ASH



HIGH GLOSS



GLITZ OMAHA NOIR



GLITZ OMBRED



GLITZ BETON DARK GREY



GLITZ MURCIA SKY BROWN



GLITZ CAMBRIAN ROCK




GLITZ NERO ROCK



GLITZ PHOENIX MAJESTY




GLITZ POLAND NERO



GLITZ BLACK PORTORO



GLITZ LAVENTE NERO



WALL : GLITZ MURCIA SKY BROWN



HIGH GLOSS



GLITZ CLEVELAND GOLD



GLITZ PRISM BLUE



GLITZ BASTILLE BLUE




GLITZ EMPERADOR BLUE





GLITZ AGATE BLUE



GLITZ ROMO AZUL MIRROR




GLITZ ROMO GOLD MIRROR




HIGH GLOSS



GLITZ GOLDRAY BLUE



GLITZ GOLDRAY CHOCO




GLITZ LYON LIME



GLITZ METAL AQUA



GLITZ SAFFIRE AQUARIUM



GLITZ RHODIUM BLUE



WALL : GLITZ RHODIUM BLUE



INFINITY POLISH



INFINITI CARARA BIANCO




FOREVER SATAVARIO FP



INFINITI IMPERIAL CRYSTAL



BERGAMO GOLD FP



INFINITI BRECCIA BIANCO



INFINITI MARMO GOLDEN




FLOOR : INFINITI IMPERIAL CRYSTAL



INFINITY POLISH



INFINITI KERAMAN GRIS FP



INFINITI TERRENI GRIS



INFINITI GLACIARO GRIS



INFINITI GARMISH GREY




INFINITI SWIRLY CREAMA



CANCAN MINT FP



FLOOR : INFINITI CANCAN MINT



SUPER WHITE



STATUARIO WHITE



CROMA SATUARIO FP



DARCY SATUARIO FP



AVANT SATVARIO FP



LUXE CARARA FP



ICONA SATUARIO FP



CLASSIC ESTUTARIO MIRROR FP A




CIRTINE GREY FP



CANDI ICE FP



MOTTLE WHITE FP




DÉCOR MOTTLE WHITE FP



CUBO CARRARA FP



CRISTELLO STONE




CARVE AQUA FP



CRESTONE GRIS FP






POLISH



BURANO SKY BLUE FP



BELGIAN BLUE FP



BETTY BIANCO FP



COSMOPOLITA BINACO FP



DERBY GREY FP



BUBBLE GREY FP



EDEN GREY FP



BOSCO GRIS FP



CLIMATE GRIGIO FP



CARLA ONYX GREY FP



POLISH



ANTOLINI BEIGE FP



ARMANIA BEIGE FP



BONITA BEIGE FP



SANTORINI BEIGE



BOREAL IVORY FP



BRISA IVORY FP



MIST BEIGE FP



WALL & FLOOR: SANTORINI BEIGE



POLISH



APEX CREMA FP



ALICANTE CREMA FP



JOE CREMA FP



CLARA CREMA FP



GOMEL CREMA FP



CASANIA CREMA FP



NESTONE BUFF FP



ROSSA TRAVERTINO



CARMEL CREMA FP



ARGENTUM CREAMA FP



POLISH



INVISIBLE DAY FP



FLORA WHITE PEARL FP



ONISTON PEARL FP



PARADISE BRIGHT ONYX FP



CAROL PEARL FP



BELGIAN CREMA FP



CHICA PEARL FP



BOSTON OLIVE FP



GEMME BEIGE



NUWAY MINT ONYX FP



POLISH



ILLUSION BIANCO FP



ILLUSION CREMA FP



MOON BEIGE LT



MOON BEIGE DK



ROCKCREMA MARFIL FP



ROCKCREMA BROWN FP



WALL & FLOOR: ROCKCREMA MARFIL FP



POLISH



NORDIC BEIGE FP



NORDIC GREY FP



FLANKO SKY LT



FLANKO SKY DK



SWISS LT GREY FP



SWISS DK GREY FP



VERONIX LIGHT FP



VERONIX DARK FP



DUBLIN GREY FP



DUBLIN VERDE FP



SION MOCCA FP



SION GREY FP



SION VERDE FP



SION VERDE FP



ATLANTIDE CREMA



ATLANTIDE BEIGE



ATLANTIDE BRIGHT FP



ATLANTIDE GREY FP



COSMOPOLITA LT BROWN FP



COSMOPOLITA DK BROWN FP



COSMOPOLITA LT BLUE FP



COSMOPOLITA DK BLUE FP



CAMILLE GRIS FP



CAMILLE ASH FP



CAMILLE CREMA FP




CAMILLE MOCHA FP



CAMILLE BROWN FP



FLOOR: CAMILLE MOCHA FP



PEARL CRYSTA CALACATTA



PLEMG 1131



VOLKAS WHITE



WALL & FLOOR: VOLKAS WHITE



PLEMG 1163



SILVER CLASSIC STATUARIO




GLACIER WHITE



STATUARIO JUPITER



PLEMG 1068



KARNIS BINACO



PLEMG 1143



PLEMG 1080



PLEMG 1081



PLEMG 1083



WALL & FLOOR: SPIDER SILVER



SPIDER SILVER



PLEMG 1148



PLEMG 1150



ECLIPSE WHITE



ECLIPSE IVORY



PLEMG 1087



PLEMG 1086



WALL & FLOOR: ECLIPSE IVORY



WALL & FLOOR: NOVASIS GREY




NOVASIS GREY




NOVASIS GRIGIO



ONYXE BEIGE



ONYXE GRIS



ONYXE NERO



WALL & FLOOR: ONYX GRIS




POLARIS CREMA



MONTE BIANCO



PLEMG 1147



SUNVALLEY BEIGE



AQUARE BEIGE



PLEMG 1067



SILVER VENTURA BOTTOCHINO




FOSSIL CREMA



PLEMG 1016




WALL & FLOOR: FOSSIL CREMA




MATT




LILY BIANCO




LAVANTE GRIS



BINNY BIANCO



BINNY BEIGE



COLOROZY CREMA



COLOROZY BRONZE



COLOROZY GRIS



COLOROZY GRIGIO




MATT




PRIMERA SLATE



PRIMERA NERO



PRIMERA CREMA



PRIMERA BROWN



PRIMERA CHOCO





TRAVERTINO CREMA MATT



NORMAL TRAVERTINO BEIGE



AUTUNN WALNUT



AUTUMN MAHAGONY



EDGES ASH



EDGES NERO



FLOOR: EDGES ASH



SILK JULIAN GREY



SILK JULIAN BROWN



VELLUTO BIANCO



VELLUTO BEIGE



VELLUTO CHOCO



WALL & FLOOR: SILK JULIAN GREY



ALPINE WOOD PINE




PINECITY BROWN



BEIGE BRICH WOOD




FOREST WOOD




TIMBER MAHOGANY



TIMBER OXIDO



AUTUMN WALNUT



AUTUMN MAHAGONY



FLOOR: ALPINE WOOD PINE



FLOOR: AUTUMN WALNUT



ANTIQUE WOOD BROWN




QUERCIA BROWN



FLOOR: ANTIQUE WOOD BROWN




COFFEE BROWN



BURMA MAHAGONY



CLASSIC WENGE



3D-19

POLISH



3D-34



3D-46



3D-47



3D-50



3D-64




3D-85




ROYALISH BIANCO FP



ROYALISH BLUE FP




BLUE ONYX MIRROR



AZUL ONYXIA





PRIME WHITE



KEYSTONE WHITE



SILVERTON MARBLE



WHITE ESTUTARIO




CALCUTTA FP




TREVISO WHITE




LUXURY ONYX MINT FP



LACQUER GREY FP



CREMA MARFIL FP




CASCADA BIANCO FP




ASPENA GRIS



SIENTO GRIS FP



FLORRISANT BIANCO




ELDORA BIANCO




SIENTO GRIGIO FP



FLORRISANT GRIGIO



ELDORA GREY



DECKTON BIANCO



DECKTON GRIGIO



WALL & FLOOR: FLORRISANT BIANCO FP



VELVET BOTTOCHINO - FP

POLISH



FLORRISANT CREMA



DECKTON CREMA



ASPENA BEIGE




DIANA BEIGE FP



VIVANTE BEIGE



WALL & FLOOR: VELVET BOTTOCHINO - FP



ELEGANT TREVRTINO FP

POLISH



DIANA BROWN FP



DECKTON BROWN




MARMO ITALIANO FP



BROWN PORTORO FP




FLOOR: ELEGANT TREVRTINO FP



ARTEXA WHITE

MATT



ARTEXA BLACK



PRIMERA SLATE



PRIMERA BROWN



PRIMERA CHOCO



PRIMERA NERO



VERNICE CREMA



VERNICE CHOCO



VERNICE GRIGIO



MUKA MAPLE



WALL & FLOOR: ARTEXA WHITE




MARMI GRIS

RUSTIC




MAPLESTONE LIGHT




CEMENTO MAJESTIC



SILTSTONE BUFF



SILTSTONE SAND



SILTSTONE NERO



MARMI VERDE




FABRICA GREY




FABRICA BROWN



INTEROCK WOOD



PARQUET CHERRY



PLANKY BROWN






SATIN



SILK VOLAKAS WHITE



ARCADIA BIANCO-N



SILK PERLATTO BIANCO



SILK PERLATTO GRES



WALL & FLOOR:
SILK PERLATTO BIANCO



MARMARA GREY



MARMARA CREMA



MARMARA CHOCO



WALL & FLOOR: MARMARA CREMA



MATT



DELFO ROJA



ROCKEN MULTI



ESTONA BROWN



AUGUSTA MARFIL



ART BRICK GREY



ESPATRA MARFIL



ARISE STONE SLATE



EDGE SLATE



ELEVATION: ROCKEN MULTI



WALL: BRIXEN STONE



BRIXEN STONE



CORINTO BEIGE



EXTERO BEIGE



BRIXEN ASH



CORINTO GRIS



EXTERO GRIS



WALL: KIARRA BRUNO



KIARRA BRUNO



KIARRA FUSION



LOUIS BROWN



MAGICO STONA




RAPID FUSION BROWN



LOUIS FUSION



MAGICO GREY



RAPID GRIS



LOUIS SLATE





MAGICO ASH




RAPID SLATE



WALL: LOUIS BROWN




HS CURADO BIANCO FP




HS CURADO BIANCO MT




HS CURADO BARLEY FP




HS CURADO BARLEY MT




HS CURADO COCOA FP



HS CURADO COCOA MT



HS CURADO GREY FP





HS CURADO GREY MT




HS CURADO NERO FP




HS CURADO NERO MT



FD IBRIDA ZICRON




FD IBRIDA SILVER




FD IBRIDA BETON




FD IBRIDA KOHLE



FD IBRIDA CALCE




FD IBRIDA TOFFEE



FD IBRIDA MENTA



FLOOR: FD IBRIDA MENTA



POLISH



POLISH



KOTA CRYSTAL

NERO CRYSTAL



MATT




MATT




PLAIN KOTA

GRANURE HARD NERO



LINEAR



LINEAR




KOTA LINEAR

NERO LINEAR



RUSTIC



RUSTIC




KOTA RUSTIC

NERO RUSTIC



WALL: PLAIN KOTA



MATT



MATT




SUPER WHITE MATT

JET BLACK MATT



LINEAR




LINEAR



SUPER WHITE LINEAR

JET BLACK LINEAR



RUSTIC



RUSTIC




SUPER WHITE RUSTIC

JET BLACK RUSTIC



MATT



LINEAR



PLAIN DARK GREY



DARK GREY LINEAR



RUSTIC




DARK GREY RUSTIC



POLISH




SANDUNE BIANCO CRYSTAL



MATT




SANDUNE BIANCO



POLISH




CREMA CRYSTAL



MATT



GRANURE HARD CREMA



MATT



GRANURE HARD MOCHA



MATT




GRANURE HARD BROWN



MATT





PLAIN GREY



MATT



GRANURE HARD DOVE GREY



MATT




CREMA ROCK



JET BLACK MATT ROCK




GREY ROCK



DARK GREY ROCK




FLOOR: GREY ROCK




MATT



GREY GEO



PLAIN DARK GREY GEO




SUPER WHITE GEO



JET BLACK MATT GEO





CREMA GEO



KOTA GEO



FLOOR: CREMA GEO




POLISH



SANDUNE BIANCO CRYSTAL



MOCHA CRYSTAL



CREMA CRYSTAL



BROWN CRYSTAL



DOVE GREY CRYSTAL





NERO CRYSTAL



KOTA CRYSTAL




WALL: NERO CRYSTAL



MATT



SUPER WHITE MATT



JET BLACK MATT



PLAIN KOTA



PLAIN GREY




PLAIN DARK GREY



GRANURE HARD DOVE GREY




GRANURE HARD GREY




SANDUNE BIANCO




GRANURE HARD MOCHA




GRANURE HARD CRUDO



PLAIN CREMA



GRANURE HARD CREMA



MATT




GRANURE HARD BROWN




GRANURE HARD CHOCO



GRANURE HARD NERO




GREY STAR



DARK GREY STAR



JET BLACK STAR




KOTA STAR



CREMA STAR



FLOOR: CREMA STAR



RUSTIC



CREMA RUSTIC




BROWN RUSTIC



HARD GREY RUSTIC



DOVE GREY RUSTIC



DARK GREY RUSTIC





NERO RUSTIC



KOTA RUSTIC




FLOOR: DOVE GREY RUSTIC



MATT




GRANURE HARD BLANCO
16MM



GRANURE HARD BEIGE
16MM




GRANURE HARD BUFF
16MM



RUSTIC



GRANURE HARD BLANCO RUSTICO
16MM



GRANURE HARD BEIGE RUSTICO
16MM



GRANURE HARD BUFF RUSTICO
16MM



PLAIN SURFACE



GRANURE HARD NERO
16MM



GRANURE HARD CHOCO
16MM



ROUGH SURFACE



GRANURE HARD NERO RUSTICO
16MM



GRANURE HARD CHOCO RUSTICO
16MM



CLASSIC
**SUSTAINABLE
INNOVATION**

THICKNESSES

16mm

Technical Specification



CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr Bla E < 0.5%	Requirement as per IS 15622:2017 Gr Bla E < 0.08%	AGL VALUE	TEST METHOD
(A) DIMENSION & SURFACE QUALITY				
Deviation In Length & Width	± 0.3%, ± 1.0mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 5.0%, ± 0.5mm	± 5.0%	± 0.3%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.3%, ± 0.8mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.3%, ± 1.5mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.4%, ± 1.8mm	± 0.5%	± 0.2%	ISO 10545 Part-2 IS 13630 Part-1
Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1
Glossiness	-	-	> 85	Glossmeter

(B) PHYSICAL & TERNAL PROPERTIES

Water Absorption % By Wt.	≤ 0.5, Ind. 0.6 Max.	≤ 0.08, Ind. 0.1 Max.	< 0.08%	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm²	Avr. 35, Ind. Min. 32	Avr. 35, Ind. Min. 32	Min.40 N/mm²	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	1300 N Min.	1300 N Min.	Min.1300N	ISO 10545 Part-4 IS 13630 Part-6
Bulk Density (gm/cc)	2.0 Min.	2.2 Min.	Min. 2.25	ISO 10545 Part-3 IS 13630 Part-2
Impact Resistance	> 0.40	> 0.55	> 0.55	ISO 10545 Part-5 IS 13630 Part-14
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min.	PEI II Min.	ISO 10545 Part-7 IS 13630 Part-11
Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K ⁻¹)	9x10 ⁻⁶ Max.	6x10 ⁻⁶ Max.	≤ 6x10 ⁻⁶	ISO 10545 Part-8 IS 13630 Part-4
Thermal Shock Resistance	10 Cycles Min.	10 Cycles Min.	No Damage after 10 Cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.02 Max.	Nil	ISO 10545 Part-10 IS 13630 Part-3
Crazing Resistance	Required	4 Cycles at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
Moh'S Scratch Hardness	Min. 5	Min. 5	Min. 5	EN 101 IS 13630 Part-13

(C) CHEMICAL PROPERTIES

Resistance To House hold Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min. Class 3	Min. Class 1	Resistance	ISO 10545 Part-14 IS 13630 Part-8

Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Set	Area Sq. mtr./ Box
1200x600mm	9.0 mm	29.0 kgs.	02 pcs.	1.44m²
1200x200mm	10.5 mm	32.3 kgs.	06 pcs.	1.41m²
600x600mm	8.5 mm	26.5 kgs.	04 pcs.	1.44m²

Technical Specification



CHARACTERISTICS	Standard as per ISO - 13006 / EN 14411 GROUP Bia	AGL VALUE	TEST METHOD
DIMENSION & SURFACE QUALITY			
Deviation In Length & Width	± 0.5%	± 0.2%	ISO-10545-2
Deviation In thickness	± 5.0%	± 4.0%	ISO-10545-2
Straightness in side	± 0.5%	± 0.2%	ISO-10545-2
Rectangularity	± 0.5%	± 0.2%	ISO-10545-2
Surface flatness	± 0.5%	± 0.2%	ISO-10545-2
Color difference	Unaltered	No Change	ISO-10545-16
STRUCTURAL PROPERTIES			
Water absorption	< 0.50%	< 0.05%	ISO-10545-3
Apparent density	>2.0 G/CC	>2.1 G/CC	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	Min. 35 N/mm2	Min. 40 N/mm2	ISO-10545-4
Breaking strength	Min. 1300 N	> 1300 N	ISO-10545-4
SURFACE MECHANICAL PROPERTIES			
Surface abrasion resistance	As per mfg	Min. class-3	ISO-10545-7
MOH's Hardness	As per mfg	Min. 6	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost resistance	No Damage	No Damage	ISO-10545-12
Thermal shock resistance	No Damage	No Damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10-6	Max. 6.5 x 10-6	ISO-10545-8
Crazing resistance	As per mfg	Min. 4 cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical Resistance	No Damage	No Damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
Slip resistance	As per mfg	>0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	N.A.

Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Set	Area Sq. mtr./ Box
600x300mm (Elevation)	9.0 mm	17.50 kgs.	05 pcs.	0.9m²

Technical Specification



CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr Bla E < 0.5%	Requirement as per IS 15622:2017 Gr Bla E < 0.08%	AGL VALUE	AGL VALUE 16mm	TEST METHOD
(A) DIMENSION & SURFACE QUALITY					
Deviation In Length & Width	± 0.3%, ± 1.0mm	± 0.1%	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 5.0%, ± 0.5mm	± 5.0%	± 2.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.3%, ± 0.8mm	± 0.1%	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.3%, ± 1.5mm	± 0.1%	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.4%, ± 1.8mm	± 0.5%	± 0.2%	± 0.2%	ISO 10545 Part-2 IS 13630 Part-1
Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles		ISO 10545 Part-2 IS 13630 Part-1

(B) PHYSICAL & TERNAL PROPERTIES

Water Absorption % By Wt.	≤ 0.5, Ind. 0.6 Max.	≤ 0.08, Ind. 0.1 Max.	≤ 0.05%	≤ 0.05% (16mm)	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm²	Avr. 35, Ind. Min. 32	Avr. 35, Ind. Min. 32	≥ 41 N/mm²	≥ 44 N/mm²	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	1300 N Min.	1300 N Min.	> 2000 N	Min. 6000N (16mm)	ISO 10545 Part-4 IS 13630 Part-6
Bulk Density (gm/cc)	2.0 Min.	2.2 Min.	≥ 2.2	≥ 2.3	ISO 10545 Part-3 IS 13630 Part-2
Impact Resistance	> 0.40	> 0.55	> 0.55	> 0.90 (16mm)	ISO 10545 Part-5 IS 13630 Part-14
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min.	PEI IV	PEI IV	ISO 10545 Part-7 IS 13630 Part-11
Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K ⁻¹)	9x10 ⁻⁶ Max.	6x10 ⁻⁶ Max.	≤ 6x10 ⁻⁶ K ⁻¹	≤ 6x10 ⁻⁶	ISO 10545 Part-8 IS 13630 Part-4
Thermal Shock Resistance	10 Cycles Min.	10 Cycles Min.	Resistance after 10 Cycles	No Damage after 10 Cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.02 Max.	Nil	Nil	ISO 10545 Part-10 IS 13630 Part-3
Crazing Resistance	Required	4 Cycles at 7.5 bar Min.	Resistance	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Frost Resistance	Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
Moh'S Scratch Hardness	Min. 5	Min. 5	Min. 7	Min. 7	EN 101 IS 13630 Part-13

(C) CHEMICAL PROPERTIES

Resistance To House hold Chemicals	No Damage	Min. Class AA	Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min. Class 3	Min. Class 1	Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8


Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Set	Area Sq. mtr./ Box
600x600mm	8.8 mm	27.0 kgs.	04 pcs.	1.44m ²
600x600mm	16 mm	25.5 kgs.	02 pcs.	0.72m ²
1200x600mm	9.8 mm	31.0 kgs.	02 pcs.	1.44m ²

Notes & Recommendation



UNDERSTANDING ICONS



APPLICATION



NOTES

- All Technical Specifications in This Catalogue are for Premium Grade Material only.
- SHADE/SIZE VARIATION are inherent characteristics to ceramics. Certain products purposely have variations which are part of design & process. The same have been indicated.
- It is recommended to blend tiles by mixing tiles from various boxes & check for natural hue before fixing the tiles.
- It is recommended to check the tiles before laying/fixing. Quality standards cover 1st/Premium Quality only.
- Company's liability is limited on material that has not been laid.
- NO COMPLAINT SHALL BE ENTERTAINED ON TILES ALREADY FIXED/LAID.
- The liability is also limited to the material supplied by the company; no other claim is entertained under any circumstances.
- No complaint is entertained on decoration done on tiles, other than the ones done by Asian Granito India Ltd.

GENERAL NOTE : Any complaint must be brought to the company's notice within 10 days of purchase & before fixing of tiles.

How to avoid defects & complaints :

- Use good quality Tiles
- Choose good quality Tiles, with proper consideration to area intended of usage.
- Avoid careless laying of Tiles
- Avoid poor maintenance-for instance, by cleaning with strong Chemicals or with abrasive equipment e.g. metallic scrubber
- Always keep Tiled area clean & ensure dusting/mopping regularly
- Put Doormats/Foot-mats at all strategic locations to avoid loose debris/dust from entering the Tiled area

List of Detergents For Removal of Stain

STAIN (Created By)	Beer	Blood	Calcar	Cement	Cigarette	Soft Drinks	Coffee	Edible Oil	Glue	Ice Cream	Ink	Juices	Marker Ink	Nicotine	Paints	Resin	Rust	Tar	Tea	Turmeric	Wine
SOLVENTS (Turpentine, acetone, trichloroety - line etc.)								●	●		●		●			●		●			
SODIUM HYPO (Chlorite (NaOCL)												●							●		
ACIDS DILUTED (Hydrochloric acid*)			●	●	●						●			●	●		●			●	
ALKALI (Sodium hydroxide/potassium hydroxide)	●	●				●	●			●											●

*Commercial grade shall not be used

DISCLAIMER : Asian Granito India Ltd. reserves the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors. All complaints need to be reported within 10 days of purchase. Always follow instructions to avoid complaint due to bad masonry.