


SOLAR REFLECTIVE ROOF TILES



**STAY COOL
INSIDE YOUR
HOME!!!**



ECO WHITE

Available size:
300x300mm



SCAN FOR
VIRTUAL 360°



Saving of
electricity



Heavy Duty Vitrified



Anti Skid, Anti Bacterial,
Stain Resistance



No Algae
fungal growth



Reduce surface temperature
by 4 to 5 degree Celsius

01 SRI (Solar Reflective Index) measure a roof's ability to reject solar heat (reflectance) and the ability to emit heat out (emittances).

02 Eco white reflects and emit the sun heat instead of absorbing it.


03 Eco white is one that reflects the sun's heat and emits absorbed radiation back in to the atmosphere. This will keep the inside building cooler.

04 The U.S green building councils LEED 2.2 user SRI as a way to evaluate a eco white. To get LEED accreditation, building should use a roof with minimum SRI value of 78.


05 Eco white tile on the roof of a building can reduce inside building temperature by low degree centigrade.




ECO WHITE



NULUXE GRIS DECOR



NULUXE GRIGIO DECOR




NULUXE BEIGE DECOR




NULUXE GRIS




NULUXE GRIS



NULUXE CREMA




NULUXE GREY




NULUXE GREY



NULUXE BEIGE



NULUXE GRIGIO



NULUXE GRIGIO



NULUXE BROWN



400x400mm



MTA - Make to Available
This product is immediately available to order.



MTO - Make to Order
This product is made on order only.



Matt



Floor



NOVART GRIGIO DECOR




NOVART GRIS




NOVART GREY



NOVART COLOR DECOR



NOVART BEIGE



NOVART BROWN



OLYMPIA ARTE



OLYMPIA GRIS



OLYMPIA GRIGIO





VELVETE GRIGIO DECOR



FOGLIA MUSHROOM DECOR



VELVETE BROWN DECOR



VELVETE GRIGIO




FOGLIA MUSHROOM



VELVETE BROWN




DESTREZA CHOCO DECOR



HEXARTE NERO



DESTREZA CHOCO



HEXARTE NERO DECOR-1



400x400mm



MTA - Make to Available
This product is immediately available to order.




MTO - Make to Order
This product is made on order only.




Matt




Floor




TERRAZON BIANCO



TERRAZON BEIGE



TERRAZON BROWN



TERRAZON NERO






BENZIL DECOR



ALBERT DECOR



ROOST DECOR



BENZIL STONE



ALBERT STONE




ROOST STONE



ULTRA SLATE



BRICKSO SLATE



BRICKSO STONE



RUSTYZE FUSION



BRICKSO BROWN

400x400mm



MTA - Make to Available
This product is immediately available to order.




MTO - Make to Order
This product is made on order only.



Matt



Floor



GRIPSTONE BEIGE



DERIO CHARCOLE



DERIO BEIGE




GRIPSTONE BRUNO




DERIO NERO



DERIO BROWN




KYORO GRIS



KYORO BEIGE



ESLATO BEIGE



KYORO GRIGIO




KYORO BROWN



ESLATO BROWN



ARMANIO BROWN



ARMANIO SHINE



TIMWOOD BROWN



400x400mm



MTA - Make to Available
This product is immediately available to order.



MTO - Make to Order
This product is made on order only.



ROCTON HOTEL






EMINEM STONA



TIJOLOS GRASS



STRIPEO MAHAGONY



400x400mm



MTA - Make to Available
This product is immediately available to order.



MTO - Make to Order
This product is made on order only.



PEBBLEW STONA



PEBBLEW SLATE




PEBBLEW GRIGIO






ANCHORE GRASS



ANCHORE GRIS



400x400mm



MTA - Make to Available
This product is immediately available to order.



MTO - Make to Order
This product is made on order only.




Matt




Floor



PEBBLON GRIS



PEBBLON BROWN





BATHWALK FUSION



BATHWALK RUSTY



BATHWALK WOOD



400x400mm




MTA - Make to Available
This product is immediately available to order.



MTO - Make to Order
This product is made on order only.



WOODBYP BROWN




WOODBYP BLUE






TURFTILE WOOD



TURFTILE STONES



TURFTILE SANDSTONE



400x400mm



MTA - Make to Available
This product is immediately available to order.



MTO - Make to Order
This product is made on order only.




Matt



Floor



ARCAVE BROWN



CENTRIO ORANGE






BONITO LIGHT PLUS



BONITO DARK PLUS



MOSAIC EARTH PLUS



300x300mm



MTA - Make to Available
This product is immediately available to order.




MTO - Make to Order
This product is made on order only.



Matt



Floor



VERTIC GREY



ROCKSCAPE GREY PLUS



ROCKSCAPE BROWN PLUS



DOLOROSA COTTO PLUS






CLASSY GREY PLUS



CLASSY BLUSH PLUS



CLASSY WOOD PLUS



CLASSY SAND PLUS



HOLZ SLATE PLUS



300x300mm



MTA- Make to Available
This product is immediately available to order.



MTO- Make to Order
This product is made on order only.



Matt



Floor



RODIZ BLUSH PLUS




RODIZ CHOCO PLUS



RODIZ PISTA PLUS




RODIZ BROWN PLUS



RODIZ BLUE PLUS



PETRA BEIGE PLUS




PETRA GREY PLUS



PETRA SLATE PLUS





GRANO WHITE PLUS



GRANO GREY PLUS



GRANO BLUE PLUS



GRANO CEMENT PLUS



RUSTICO GREY PLUS



RUSTICO NERO PLUS



RUSTICO CREMA PLUS



RUSTICO BEIGE PLUS



300x300mm



MTA - Make to Available
This product is immediately available to order.




MTO - Make to Order
This product is made on order only.




Matt



Floor



GEOSAND GRIS PLUS



GEOSAND GREY PLUS



GEOSAND BROWN PLUS






MTA- Make to Available
This product is immediately available to order.




MTO- Make to Order
This product is made on order only.

Grandura Vitrified Exteriors 300x300mm



BEIGE




BULLET BEIGE




GRIT BEIGE




ROSA



BULLET ROSA



GRIT ROSA



300x300mm



MTA- Make to Available
This product is immediately available to order.




MTO- Make to Order
This product is made on order only.



Matt




Floor




BLOCKS BEIGE




CURVY BEIGE




TINT BEIGE




BLOCKS ROSA




CURVY ROSA



TINT ROSA



TABULA BEIGE



TABULA ROSA





**CEPT Research and Development Foundation,
CEPT University**

Test Report for Solar Reflectance Index (SRI)



ULR-TC702018000000012F

Report No: CRDF/RPT/SRI/391

Report Date: 26th October 2018

3. Results of the measurement:

Solar Direct Reflectance

Sample name	Sample ID	Measurement 1	Measurement 2	Measurement 3	Average
Parking Floor Tiles	SRI/10/18/1392	0.7067	0.7091	0.7083	0.7080

Emissivity

Sample name	Sample ID	Measurement 1	Measurement 2	Measurement 3	Average
Parking Floor Tiles	SRI/10/18/1392	0.918	0.919	0.919	0.919

Solar Reflectance Index (SRI) under different wind conditions

Sample name	Sample ID	Solar Reflectance Index (SRI)		
Parking Floor Tiles	SRI/10/18/1392	Low Wind($h_c=5 \text{ W m}^{-2} \text{ K}^{-1}$)	Medium Wind($h_c=12 \text{ W m}^{-2} \text{ K}^{-1}$)	High Wind($h_c=30 \text{ W m}^{-2} \text{ K}^{-1}$)
		87	87	88

Surface Temperature (T_s) under different wind conditions

Sample name	Sample ID	Surface Temperature ($^{\circ}\text{C}$)		
Parking Floor Tiles	SRI/10/18/1392	Low Wind($h_c=5 \text{ W m}^{-2} \text{ K}^{-1}$)	Medium Wind($h_c=12 \text{ W m}^{-2} \text{ K}^{-1}$)	High Wind($h_c=30 \text{ W m}^{-2} \text{ K}^{-1}$)
		56.5	49.4	43.2

4. Certificate of Accuracy:

This is to certify that the test results herein presented are, to the best of my knowledge, true and accurate representations of the samples submitted.



Jigar Patel

Jigar Patel
Lab. Technician

Yashkumar Shukla

Yashkumar Shukla
Technical Director

Disclaimer:

- The CEPT Research and Development Foundation, CEPT University is not responsible for any kind of alterations in the physical property of the sample and the customer is solely responsible for it and its consequences.
- Result relates to the sample tested only. Sample will be destroyed after 7 days of issue of the report unless specified by the customer.
- Any complains about this report should be communicated in writing within 7 days of issue of the report.
- The test report shall not be reproduced fully or partially or in parts and cannot be used as an evidence in a court of law and shall be used in advertising media without written approval of Director, CEPT Research and Development Foundation, CEPT University.

CEPT Research and Development Foundation, CEPT University, K. L. Campus, Navrangpura, Ahmedabad- 380 009.
Phone No: 079-26302470- Extn: 383, 26302740 Fax: +91 79 26302075 Email: ashajoshi@cept.ac.in
Page 2 of 2

F/TR/01/SRI, ISSUE No. 6

CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr Bla E $\leq 0.5\%$	Requirement as per IS 15622:2017 Gr Blb $0.08 \leq E \leq 3.0\%$	AGL Value	Test Method
-----------------	--	---	-----------	-------------

(A) DIMENSION & SURFACE QUALITY

Deviation In Length & Width	$\pm 0.3\%, \pm 1.0 \text{ mm}$	$\pm 0.1\%$	$\pm 0.1\%$	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	$\pm 5.0\%, \pm 0.5 \text{ mm}$	$\pm 5.0\%$	$\pm 3.0\%$	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	$\pm 0.3\%, \pm 0.8 \text{ mm}$	$\pm 0.1\%$	$\pm 0.1\%$	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	$\pm 0.3\%, \pm 1.5 \text{ mm}$	$\pm 0.1\%$	$\pm 0.1\%$	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	$\pm 0.4\%, \pm 1.8 \text{ mm}$	$\pm 0.5\%$	$\pm 0.2\%$	ISO 10545 Part-2 IS 13630 Part-1
Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1
Solar Reflectance Index (SRI)			Min 75	

(B) PHYSICAL & THERMAL PROPERTIES

Water Absorption % By Wt.	≤ 0.5 , Ind. 0.6 Max.	$0.08 \leq E \leq 3.0$, Ind. 3.3 Max.	$\leq 0.5\%$	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm ²	Avr. 30, Ind. Min. 27	Avr. 30, Ind. Min. 27	$\geq 35 \text{ N/mm}^2$	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	1300 N Min.	1100 N Min.	$> 1800 \text{ N}$	ISO 10545 Part-4 IS 13630 Part-6
Bulk Density (gm/cc)	2.0 Min.	2.0 Min.	≥ 2.2	ISO 10545 Part-3 IS 13630 Part-2
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min	Min PEI IV	ISO 10545 Part-7 IS 13630 Part-11
Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K^{-1})	9×10^{-6} Max.	7×10^{-6} Max.	$\leq 6 \times 10^{-6}$	ISO 10545 Part-8 IS 13630 Part-4
Thermal Shock Resistance	10 Cycle Min.	10 Cycle Min.	No Damage after 10 Cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.02 Max.	Nil	ISO 10545 Part-10 IS 13630 Part-3
Crazing Resistance	Required	4 Cycle at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
Moh'S Scratch Hardness	Min. 5	Min. 5	≥ 7	EN 101 IS 13630 Part-13

(C) CHEMICAL PROPERTIES

Resistance To Household Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min. Class 3	Min. Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8

Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box
300x300mm	9mm	14	08 pcs.	0.72m ²

Technical Specification



CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr Bla E ≤ 0.5%	Requirement as per IS 15622:2017 Gr Blb 0.08 ≤ E ≤ 3.0%	AGL Value	Test Method
(A) DIMENSION & SURFACE QUALITY				
Deviation In Length & Width	± 0.3%, ± 1.0 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 5.0%, ± 0.5 mm	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.3%, ± 0.8 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.3%, ± 1.5 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.4%, ± 1.8 mm	± 0.5%	± 0.2%	ISO 10545 Part-2 IS 13630 Part-1
Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1

(B) PHYSICAL & THERMAL PROPERTIES

Water Absorption % By Wt.	≤ 0.5, Ind. 0.6 Max.	0.08 ≤ E ≤ 3.0 Ind. 3.3 Max.	≤ 0.5	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm²	Avr. 30, Ind. Min. 27	Avr. 30, Ind. Min. 27	≥ 35 N/mm²	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	1300 N Min.	1100 N Min.	> 1800 N	ISO 10545 Part-4 IS 13630 Part-6
Bulk Density (gm/cc)	2.0 Min.	2.0 Min.	≥ 2.2	ISO 10545 Part-3 IS 13630 Part-2
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min	Min. PEI IV	ISO 10545 Part-7 IS 13630 Part-11
Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K ⁻¹)	9x10 ⁻⁶ Max.	7x10 ⁻⁶ Max.	≤ 6x10 ⁻⁶	ISO 10545 Part-8 IS 13630 Part-4
Thermal Shock Resistance	10 Cycle Min.	10 Cycle Min.	No Damage after 10 Cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.02 Max.	Nil	ISO 10545 Part-10 IS 13630 Part-3
Crazing Resistance	Required	4 Cycle at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
Moh'S Scratch Hardness	Min. 5	Min. 5	≥ 7	EN 101 IS 13630 Part-13

(C) CHEMICAL PROPERTIES

Resistance To House hold Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min. Class 3	Min. Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8


Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box
400x400mm (Grandura+)	12 mm	19.5 kg.	05 pcs.	0.80m ²
300x300mm (Grandura+)	9 mm	14.5 kg.	08 pcs.	0.72m ²
300x300mm (Grandura)	9 mm	17.5 kg.	10 pcs.	0.90m ²

Notes & Recommendation



UNDERSTANDING ICONS



APPLICATION



NOTES

- All Technical Specifications in This Catalogue are for Premium Grade Material only.
 - SHADE/SIZE VARIATION are inherent characteristics to ceramics. Certain products purposely have variations which are part of design & process. The same have been indicated.
 - It is recommended to blend tiles by mixing tiles from various boxes & check for natural hue before fixing the tiles.
 - It is recommended to check the tiles before laying/fixing. Quality standards cover 1st/Premium Quality only.
 - Company's liability is limited on material that has not been laid.
 - NO COMPLAINT SHALL BE ENTERTAINED ON TILES ALREADY FIXED/LAID.
 - The liability is also limited to the material supplied by the company; no other claim is entertained under any circumstances.
 - No complaint is entertained on decoration done on tiles, other than the ones done by Asian Granito India Ltd.
- GENERAL NOTE : Any complaint must be brought to the company's notice within 10 days of purchase & before fixing of tiles.

How to avoid defects & complaints :

- Use good quality Tiles
- Choose good quality Tiles, with proper consideration to area intended of usage.
- Avoid careless laying of Tiles
- Avoid poor maintenance-for instance, by cleaning with strong Chemicals or with abrasive equipment e.g. metallic scrubber
- Always keep Tiled area clean & ensure dusting/mopping regularly
- Put Doormats/Foot-mats at all strategic locations to avoid loose debris/dust from entering the Tiled area

List of Detergents For Removal of Stain

STAIN (Created By)	Beer	Blood	Calcar	Cement	Cigarette	Soft Drinks	Coffee	Edible Oil	Glue	Ice Cream	Ink	Juices	Marker Ink	Nicotine	Paints	Resin	Rust	Tar	Tea	Turneric	Wine
SOLVENTS (Turpentine, acetone, trichloroety - line etc.)								•	•		•		•			•		•			
SODIUM HYPO (Chlorite (NaOCL)												•							•		
ACIDS DILUTED (Hydrochloric acid*)			•	•	•						•			•	•		•			•	
ALKALI (Sodium hydroxide/potassium hydroxide)	•	•				•	•			•											•

*Commercial grade shall not be used

DISCLAIMER : Asian Granito India Ltd. reserves the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors. All complaints need to be reported within 10 days of purchase. Always follow instructions to avoid complaint due to bad masonry.


CORPORATE OFFICE & BRANCHES

DISPLAY CENTRE & OFFICE

- GUJARAT**

■ **Display Centre - Ahmedabad**
AGL Luxury Tile Arcade
S.G. Highway, Nr. Gota Cross Road,
Beside Gota over bridge, Ahmedabad - 382481.
Mobile: 98258 03713 / 99099 29920
E-mail: asianworld.amd@aglasiangranito.com
- **AGL Export House - Morbi**
Ch-5, Eden Ceramic City,
Opp.Honest Hotel, National Highway,
Lalpar Road Morbi - 363642.
Mobile: 99799 90591
E-mail: exportmorbi@aglasiangranito.com
- **Factory Display Centre - Morbi**
(Sanitaryware & Faucets)
AGL Sanitaryware Pvt. Ltd.
Survey No. 153 P1, 153 P2, 154 P2, 8A National
Highway, B/h. Bahadurgadh Bus Stand,
At. Bahadurgadh, Morbi-363642. Gujarat, India.
Mobile: 11
E-mail: 11
- MAHARASHTRA**

■ **AGL Display Centre - Mumbai**
A- 402, Citi Point, Nr. kohinoor Hotel,
Opp. IICI Bank, J.B. Nagar,
Chakala Metro Station, Andheri (East),
Mumbai - 400 059.
Mobile: 93214 95229
E-mail: mumbaishowroom@aglasiangranito.com
- **AGL Display Centre - Mumbai**
(Marblex & Grestek)
Gala Impecca, Gr. Floor, Mathuradas Vasanji Rd,
Next to Caurtyard Marriott, J. B. Nagar,
Kurla-Andheri Road, Andheri (East) - 400059
Mobile : 7600098595
- **AGL Display Centre - Pune**
Capital Square, 1st & 2nd floor, Plot No.5,
Nr. Laxminarayan Sweets, Industrial Estate,
Mukund Nagar, Pune - 411037 Maharashtra.
Mobile : 93717 65505



Scan for
360° Tour

- TELANGANA**

■ **AGL Display Centre - Hyderabad**
(Marblex & Grestek)
202 Kurve Elite, 2nd Floor, 8-3-833/58 & 47,
Plot No. 58, Phase-1, Kamala Puri Colony Main Rd,
Opp. Krishe Meadows, Hyderabad-500073
Mobile: 96420 00336 / 77779 15632
E-mail: hydgv1@aglasiangranito.com
- **AGL Display Centre - Hyderabad**
8-2-294/82,Plot No. 39, Road No. 5,
JubileeHills Land Mark, Near Venkatagiri Bustop.
(Dominos Pizza) Metro Pillar No.3,
Hyderabad-500033
Mobile: 96420 11146
E-mail: hydshowroom@aglasiangranito.com
- KARNATAKA**

■ **AGL Display Centre - Bangalore**
Asian Granito India Ltd., Region Office
Brahmananda Court, No.37/17, Nr. ICIC Bank,
Lalbagh Road, Bangaluru - 560027 Karnataka
Mobile: 81605 21204
E-mail: bangloreshowroom@aglasiangranito.com
- KERALA**

■ **AGL Display Centre - Kochin**
No.51/2910 D2 Adjacent To Bread World,
Thykooodam Bridge Service Road,
Vyttila Kochin - 682019
Mobile: 80866 61920 / 78618 09641
E-mail: cochinshowroom@aglasiangranito.com
- WEST BENGAL**

■ **AGL Display Centre - Kolkata**
5th Floor, Office No. 5A, PS SOLARIS Building,
113/H, Opp. Flaming Hospital. Matheswartala Rd.
Topsia, Kolkata 7000046.
Mobile: 85840 65565
E-mail: kolkattashowroom@aglasiangranito.com
- UTTAR PRADESH**

■ **AGL Display Centre - Noida**
F-15, Ground Floor, Sector 8,
Gautam Buddha Nagar,
Noida – 201301 Uttar Pradesh
Mobile: 7861806229

OFFICE

- GUJARAT**

■ **Corp. Office - Ahmedabad**
ASIAN GRANITO INDIA LTD.
202, Dev Arc, Opp. Iskcon Temple,
S. G. Highway, Ahmedabad - 380 015
Gujarat (INDIA)
Phone: +91 79 66125500/698
Toll Free: 1800 123 3455
E-mail: info@aglasiangranito.com
- **AGL Office - Morbi**
B - 26, Parshwanath Complex-1
Opp. kuber Cinema, 8-A National Highway,
Lalpar Road, Morbi - 363642.
Mobile: 9825802077
E-mail: aglmorbi@aglasiangranito.com
- RAJASTHAN**

■ **AGL Office - Jaipur**
Lower Ground, D-5, Vaishali Nagar,
Jaipur, Rajasthan - 302021
Mobile: 80085 03660 / 93144 39930
- MADHYA PRADESH**

■ **AGL Office - Indore**
3rd Floor, Plot No 101, WB Scheme No. 94,
Sector - B, Opp. HDFC Bank, Nr. Bombay Hospital,
Indore - MP - 452010
Mobile: 99092 62533 / 73140 06670
E-mail: acctsindore@aglasiangranito.com
- TAMIL NADU**

■ **AGL Office - Trichy**
Mark Diamond Residency, No-36,
V O C Road, cantonment. Trichy - 620001
Mobile: 90161 13976
- **AGL Office - Coimbatore**
No .70, Dr. Alagappa Road, Tatabad.
Coimbatore - 641 012
Mobile: 90161 13976
- ODISHA**

■ **AGL Office - Odisha**
Plot No-83/C, Jayadurga Nagar Bomikhal,
Bomikhal, Cuttack-Puri Road,
Bhubaneswar-751006
Mobile: 78618 09594 / 78944 35425
- PUNJAB**

■ **AGL Office - Chandigarh**
CCC Chandighar City Centre, Block A 3rd Floor,
Soho 325, Vip Road, Near Metro Zirakpur,
Chandigarh Punjab-140603
Mobile : 93163 13880 / 99882 22471

